

**Table 1. Number and percent distribution of nursing homes by selected facility characteristics, according to number of beds, beds per nursing home, current residents, and occupancy rate: United States, 2004**

Facility characteristic	Nursing homes		Beds		Current residents	
	Number	Percent distribution	Number	Beds per nursing home	Number	Occupancy rate <sup>1</sup>
Total . . . . .	16,100	100.0	1,730,000	107.6	1,492,200	86.3
Ownership						
Proprietary . . . . .	9,900	61.5	1,074,200	108.6	918,000	85.5
Voluntary nonprofit . . . . .	5,000	30.8	503,600	101.6	440,300	87.4
Government and other . . . . .	1,200	7.7	152,200	123.6	133,900	88.0
Certification <sup>2</sup>						
Certified . . . . .	15,800	98.5	1,708,900	107.8	1,475,600	86.4
Medicare and Medicaid . . . . .	14,100	87.6	1,599,600	113.5	1,379,700	86.3
Medicare only . . . . .	*700	*4.1	*33,100	*50.6	28,100	85.0
Medicaid only . . . . .	1,100	6.9	76,200	69.0	67,900	89.1
Beds						
Fewer than 50 beds . . . . .	2,200	13.9	75,800	33.8	62,200	82.1
50–99 beds . . . . .	6,000	37.3	454,700	75.7	422,600	92.9
100–199 beds . . . . .	6,800	42.5	903,100	132.0	788,500	87.3
200 beds or more . . . . .	1,000	6.2	296,400	298.2	218,900	73.9
Geographic region						
Northeast . . . . .	2,800	17.4	381,500	136.0	331,300	86.8
Midwest . . . . .	5,300	33.0	526,600	99.4	448,000	85.1
South . . . . .	5,400	33.6	585,600	108.3	501,500	85.6
West . . . . .	2,600	16.0	236,200	92.1	211,400	89.5
Location						
Metropolitan statistical area . . . . .	10,900	67.7	1,290,900	118.5	1,127,800	87.4
Micro-politan statistical area . . . . .	2,600	16.2	242,200	92.9	202,000	83.4
Other location . . . . .	2,600	16.0	196,900	76.3	162,400	82.5
Affiliation						
Chain . . . . .	8,700	54.2	939,400	107.9	812,500	86.5
Independent . . . . .	7,400	45.8	790,600	107.2	679,700	86.0

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Occupancy rate is calculated by dividing residents by available beds.

<sup>2</sup>Estimates for nursing homes that are not certified are not shown because the sample size was less than 30 and figures are unreliable.

NOTES: Numbers may not add to totals because of rounding. Percentages and rates are based on the unrounded numbers.

**Table 2. Number of full-time equivalent nurse employees by type of nursing staff and employment status and selected facility characteristics: United States, 2004**

Facility characteristic	Total	Total nursing staff	Contract workers	Registered nurses		Licensed practical nurses		Certified nursing assistants		Nurse aides and orderlies	
				Total	On staff	Total <sup>1</sup>	On staff	Total <sup>1</sup>	On staff	Total <sup>1</sup>	On staff
Total . . . . .	1,071,800	1,053,200	18,600	131,800	128,900	225,000	217,400	702,400	694,300	12,500	12,500
Type of ownership											
Proprietary . . . . .	623,000	614,800	8,200	68,300	67,100	138,500	134,600	408,700	405,700	7,500	7,400
Voluntary nonprofit . . . . .	332,800	325,500	7,300	45,700	44,500	65,900	63,400	217,200	213,700	4,000	4,000
Government and other . . . . .	116,000	112,900	3,100	17,800	17,300	20,600	19,500	76,500	75,000	*1,000	*1,000
Beds											
Fewer than 50 beds . . . . .	44,100	42,900	*1,200	8,500	8,300	8,400	8,200	26,500	25,700	*700	*700
50–99 beds . . . . .	256,100	253,600	2,500	32,400	31,900	52,400	51,500	166,100	165,000	5,200	5,200
100–199 beds . . . . .	572,500	563,200	9,200	65,200	63,900	124,500	120,000	377,700	374,300	5,100	5,100
200 beds or more . . . . .	199,100	193,500	5,600	25,800	24,800	39,700	37,800	132,100	129,400	*1,600	*1,600
Geographic region											
Northeast . . . . .	270,500	263,000	7,500	41,000	39,400	53,500	50,300	173,900	171,200	*2,100	*2,100
Midwest . . . . .	289,500	285,500	4,000	39,500	38,800	56,000	54,300	189,600	188,000	4,400	4,400
South . . . . .	358,600	353,200	5,400	33,400	33,000	84,900	83,000	236,900	233,700	3,500	3,400
West . . . . .	153,100	151,500	1,600	18,000	17,600	30,600	29,800	102,000	101,400	*2,600	*2,600
Location											
Metropolitan statistical area . . . . .	33,400	811,300	15,500	102,800	100,200	174,300	167,300	542,200	536,400	7,500	7,400
Micropolitan statistical area . . . . .	150,800	149,100	*1,600	16,900	16,700	32,500	32,100	98,200	97,100	3,300	3,300
Other location . . . . .	94,200	92,700	*1,500	12,100	12,000	18,200	18,100	62,100	60,800	*1,800	*1,800
Affiliation											
Chain . . . . .	544,900	539,600	5,300	63,600	62,500	120,000	117,200	356,100	354,700	5,200	5,200
Independent . . . . .	526,900	513,600	13,300	68,200	66,400	105,000	100,200	346,400	339,600	7,300	7,300

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes contract workers. Contract workers not shown separately due to low estimates.

NOTE: Numbers may not add to totals because of rounding.

**Table 3. Number and rate per 100 beds of full-time equivalent nurse employees (excluding contract workers) by type of nursing staff and selected facility characteristics: United States, 2004**

Facility characteristic	Type of nursing staff							
	Total <sup>1</sup>		Registered nurses		Licensed practical nurses		Certified nursing assistants	
	Number	Rate per 100 beds	Number	Rate per 100 beds	Number	Rate per 100 beds	Number	Rate per 100 beds
Total . . . . .	1,053,200	61	128,900	7	217,400	13	694,300	40
Type of ownership								
Proprietary . . . . .	614,800	57	67,100	6	134,600	13	405,700	38
Voluntary nonprofit . . . . .	325,500	65	44,500	9	63,400	13	213,700	42
Government and other . . . . .	112,900	75	17,300	11	19,500	13	75,000	49
Beds								
Fewer than 50 beds . . . . .	42,900	57	8,300	11	8,200	11	25,700	34
50–99 beds . . . . .	253,600	56	31,900	7	51,500	11	165,000	36
100–199 beds . . . . .	563,200	62	63,900	7	120,000	13	374,300	41
200 beds or more . . . . .	193,500	65	24,800	8	37,800	13	129,400	44
Geographic region								
Northeast . . . . .	263,000	69	39,400	10	50,300	13	171,200	45
Midwest . . . . .	285,500	54	38,800	7	54,300	10	188,000	36
South . . . . .	353,200	60	33,000	6	83,000	14	233,700	40
West . . . . .	151,500	64	17,600	7	29,800	13	101,400	43
Location <sup>2</sup>								
Metropolitan statistical area . . . . .	811,300	63	100,200	8	167,300	13	536,400	42
Micropolitan statistical area . . . . .	149,100	62	16,700	7	32,100	13	97,100	40
Other location . . . . .	92,700	47	12,000	6	18,100	9	60,800	31
Affiliation								
Chain . . . . .	539,600	57	62,500	7	117,200	12	354,700	38
Independent . . . . .	513,600	65	66,400	8	100,200	13	339,600	43

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes nurses aides and orderlies not shown separately.

NOTES: Numbers may not add to totals because of rounding. Rates are based on the unrounded numbers.

**Table 4. Number and percentage of nursing homes by arrangements for providing medical services and selected facility characteristics: United States, 2004**

Facility characteristic	Private physicians from community			Contracts with physician group practices		Physicians on staff	
	Total	Number	Percent	Number	Percent	Number	Percent
All facilities . . . . .	16,100	13,800	85.9	4,800	30.1	3,200	19.6
Ownership							
Proprietary . . . . .	9,900	8,800	88.9	3,000	30.6	1,600	16.7
Voluntary nonprofit and other <sup>1</sup> . . . . .	6,200	5,000	81.0	1,800	29.5	1,500	24.3
Beds							
Fewer than 50 beds . . . . .	2,200	1,700	76.9	*700	*14.0	*700	*22.0
50–99 beds. . . . .	6,000	5,300	88.2	1,900	31.1	900	15.6
100 beds or more. . . . .	7,800	6,800	86.6	2,300	29.3	1,500	19.2
Geographic region							
Northeast . . . . .	2,800	2,300	82.0	*1000	*20.0	*800	*23.0
Midwest. . . . .	5,300	4,600	87.4	1,500	28.9	900	16.5
South . . . . .	5,400	4,600	85.6	1,500	27.6	1,100	19.4
West . . . . .	2,600	2,200	87.6	*800	*17.0	*500	*15.0
Location							
Metropolitan statistical area . . . . .	10,900	9,300	85.2	3,700	33.7	2,200	20.0
Micropolitan statistical area . . . . .	2,600	2,400	90.7	*600	*23.3	*500	*16.0
Other location . . . . .	2,600	2,200	83.7	*600	*11.0	*500	*14.0
Affiliation							
Chain . . . . .	8,700	7,400	85.3	2,800	32.6	1,600	17.8
Independent . . . . .	7,400	6,400	86.6	2,000	27.1	1,600	21.7

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTES: Numbers may not add to totals because of rounding. Percentages are based on the unrounded numbers.

**Table 5. Number and percentage of nursing homes by formal contracts with outside providers according to type of ownership: United States, 2004**

Contract provider	Number			Percent		
	Total	Proprietary	Voluntary nonprofit and other <sup>1</sup>	Total	Proprietary	Voluntary nonprofit and other <sup>1</sup>
All facilities . . . . .	16,100	9,900	6,200	...	...	...
Dental or oral services . . . . .	10,100	6,500	3,500	62.5	66.1	56.8
Diagnostic services . . . . .	9,500	6,300	3,200	58.9	63.3	52.0
Hearing and vision services . . . . .	7,200	4,900	2,400	44.9	49.2	38.0
Home health care agency . . . . .	2,000	1,200	*800	12.6	12.1	*13.3
Hospice . . . . .	12,600	8,200	4,400	78.1	82.9	70.4
Hospital . . . . .	7,600	5,000	2,600	47.1	50.5	41.6
Managed care organization . . . . .	4,600	3,200	1,400	28.7	32.8	22.2
Management group . . . . .	1,800	1,200	*600	10.9	11.8	*9.4
Medical center or health systems. . . . .	1,400	900	*500	8.7	9.2	*7.8
Medical director . . . . .	13,400	8,600	4,800	83.5	87.3	77.3
Pharmacy . . . . .	13,500	8,900	4,700	84.1	89.6	75.4
Physician group . . . . .	2,200	1,400	*800	13.4	13.8	*12.9
Podiatry services. . . . .	10,600	7,100	3,600	66.0	71.3	57.4
Psychiatric facility or behavioral management . . . . .	4,300	3,000	1,300	26.9	30.4	21.2
Psychiatry or psychology services . . . . .	7,800	5,300	2,500	48.5	53.2	41.0
Therapy services. . . . .	11,000	7,100	3,900	68.7	72.1	63.3

... Category not applicable.

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTES: Numbers may not add to totals because of rounding. Percentages are based on the unrounded numbers.

**Table 6. Number and percentage of nursing homes by contracts with outside providers and chain affiliation: United States, 2004**

Contract provider	Affiliation					
	Number			Percent		
	Total	Chain	Independent	Total	Chain	Independent
All facilities . . . . .	16,100	8,700	7,400	...	...	...
Dental or oral services . . . . .	10,100	5,600	4,500	62.5	64.1	60.7
Diagnostic services . . . . .	9,900	5,500	4,000	58.9	63.4	53.6
Hearing and vision services . . . . .	7,200	4,200	3,000	44.9	48.2	41.0
Home health care agency . . . . .	2,000	1,100	900	12.6	12.5	12.6
Hospice . . . . .	12,600	7,100	5,500	78.1	81.5	74.1
Hospital . . . . .	7,600	4,300	3,300	47.1	49.1	44.7
Managed care organization . . . . .	4,600	3,000	1,600	28.7	34.6	21.7
Management group . . . . .	1,800	900	*800	10.9	10.8	*11.0
Medical center or health systems . . . . .	1,400	*800	*600	8.7	*9.0	*8.3
Medical director . . . . .	13,400	7,600	5,900	83.5	86.9	79.4
Pharmacy . . . . .	13,500	7,700	5,900	84.1	88.0	79.6
Physician group . . . . .	2,200	1,300	900	13.4	14.8	11.8
Podiatry services . . . . .	10,600	6,100	4,500	66.0	70.4	60.7
Psychiatric facility or behavioral management . . . . .	4,300	2,500	1,800	26.9	29.1	24.3
Psychiatry or psychology services . . . . .	7,800	4,500	3,300	48.5	52.1	44.3
Therapy services . . . . .	11,000	6,000	5,100	68.7	68.4	69.1

... Category not applicable.

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

NOTES: Numbers may not add to totals because of rounding. Percentages are based on the unrounded numbers.

**Table 7. Number of nursing homes by selected resident care electronic information systems and facility characteristics: United States, 2004**

Facility characteristic	Resident care electronic information systems								
	Total	Admission discharge orders	Physician orders	Medication dispensing orders	Laboratory procedures	Patient medical records	Medication administration information	Dietary information	Daily personal care by nursing assistants
All facilities . . . . .	16,100	12,800	7,800	8,200	6,600	6,900	6,100	8,200	2,800
Ownership									
Proprietary . . . . .	9,900	7,900	5,000	5,000	3,800	4,300	3,800	5,400	1,900
Voluntary nonprofit and other <sup>1</sup> . . . . .	6,200	4,900	2,800	3,200	2,800	2,500	2,300	2,900	1,000
Beds									
Fewer than 50 beds . . . . .	2,200	1,600	1,100	1,200	1,100	900	1,000	900	*400
50–99 beds . . . . .	6,000	4,500	2,900	2,900	2,200	2,800	2,200	2,800	1,100
100 beds or more . . . . .	7,800	6,700	3,800	4,100	3,400	3,100	3,000	4,500	1,300
Geographic region									
Northeast . . . . .	2,800	2,000	*800	1,100	1,100	*800	*700	1,200	*
Midwest . . . . .	5,300	4,200	2,300	2,600	2,200	2,400	2,000	2,600	1,000
South . . . . .	5,400	4,400	2,900	2,900	2,200	2,200	2,100	3,100	1,100
West . . . . .	2,600	2,100	1,700	1,700	1,200	1,500	1,400	1,300	*600
Location									
Metropolitan statistical area . . . . .	10,900	8,600	4,900	5,400	4,500	4,400	3,800	5,700	1,700
Micropolitan statistical area . . . . .	2,600	2,100	1,600	1,500	1,100	1,300	1,300	1,400	700
Other location . . . . .	2,600	2,100	1,300	1,400	1,000	1,200	1,100	1,100	*500
Affiliation									
Chain . . . . .	8,700	7,200	4,300	4,400	3,500	3,900	3,300	5,000	1,700
Independent . . . . .	7,400	5,600	3,500	3,800	3,200	3,000	2,800	3,300	1,100

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 8. Percentage of nursing homes by selected resident care electronic information systems and facility characteristics: United States, 2004**

Facility characteristic	Resident care electronic information systems							
	Admission discharge orders	Physician orders	Medication dispensing orders	Laboratory procedures	Patient medical records	Medication administration information	Dietary information	Daily personal care by nursing assistants
All facilities . . . . .	79.5	48.4	51.1	41.4	42.7	38.1	51.2	17.6
Ownership								
Proprietary . . . . .	79.5	50.3	50.2	38.8	43.9	38.4	54.2	18.9
Voluntary nonprofit and other <sup>1</sup> . . . . .	79.5	45.5	52.5	45.6	40.7	37.5	46.3	15.5
Beds								
Fewer than 50 beds. . . . .	71.2	47.0	52.8	47.0	40.5	44.5	41.4	*17.8
50–99 beds. . . . .	75.2	48.5	48.9	37.2	46.9	36.2	46.1	18.7
100 beds or more . . . . .	85.1	48.8	52.2	42.9	40.1	37.7	57.8	16.6
Geographic region								
Northeast . . . . .	72.1	*29.2	38.1	40.1	*27.5	*23.6	43.7	*
Midwest . . . . .	79.1	43.0	48.2	41.0	44.9	37.4	48.2	17.9
South . . . . .	82.3	54.4	53.6	40.3	40.5	39.0	57.3	19.7
West . . . . .	82.6	68.2	65.7	45.5	59.4	53.3	52.5	*21.8
Location								
Metropolitan statistical area . . . . .	79.0	44.7	49.6	41.3	40.6	34.7	52.4	15.2
Micropolitan statistical area . . . . .	80.2	61.8	55.9	42.6	49.4	48.5	55.2	26.1
Other location . . . . .	80.7	50.9	52.5	40.2	44.7	41.7	41.9	*19.1
Affiliation								
Chain . . . . .	82.4	49.8	51.1	40.1	44.9	37.9	57.0	19.9
Independent . . . . .	76.0	46.8	51.0	42.9	40.1	38.3	44.2	14.7

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTE: Percentages are based on unrounded numbers.



**Table 9. Number of nursing homes by selected administrative electronic information systems and facility characteristics: United States, 2004**

Facility characteristic	Administrative electronic information systems			
	Total	Personnel information	Staff scheduling	Billing or finance
All facilities . . . . .	16,100	9,400	6,000	15,300
Ownership				
Proprietary . . . . .	9,900	5,400	3,500	9,400
Voluntary nonprofit and other <sup>1</sup> . . . . .	6,200	4,100	2,500	5,900
Beds				
Fewer than 50 beds . . . . .	2,200	1,200	*800	2,000
50–99 beds . . . . .	6,000	3,200	2,000	5,700
100 beds or more. . . . .	7,800	5,100	3,200	7,600
Geographic region				
Northeast. . . . .	2,800	1,600	1,200	2,700
Midwest. . . . .	5,300	3,000	2,100	5,000
South . . . . .	5,400	3,200	1,700	5,200
West. . . . .	2,600	1,600	1,100	2,400
Location				
Metropolitan statistical area. . . . .	10,900	6,600	4,300	10,400
Micropolitan statistical area. . . . .	2,600	1,500	900	2,500
Other location . . . . .	2,600	1,300	800	2,500
Affiliation				
Chain . . . . .	8,700	5,300	3,300	8,500
Independent . . . . .	7,400	4,200	2,700	6,900

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 10. Percentage of nursing homes by selected administrative electronic information systems and facility characteristics: United States, 2004**

Facility characteristic	Administrative electronic information systems		
	Personnel information	Staff scheduling	Billing finance
All facilities . . . . .	58.6	37.1	95.2
Ownership			
Proprietary . . . . .	54.2	35.1	94.8
Voluntary nonprofit and other <sup>1</sup> . . . . .	65.8	40.2	95.8
Beds			
Fewer than 50 beds . . . . .	52.3	*33.6	89.3
50–99 beds . . . . .	53.0	33.9	94.5
100 beds or more . . . . .	64.8	40.6	97.4
Geographic region			
Northeast . . . . .	58.1	41.0	95.8
Midwest . . . . .	56.7	39.1	94.8
South . . . . .	59.6	31.1	95.8
West . . . . .	61.1	41.4	94.3
Location			
Metropolitan statistical area . . . . .	60.6	39.1	95.1
Micropolitan statistical area . . . . .	59.1	35.2	95.3
Other location . . . . .	49.7	30.6	95.6
Affiliation			
Chain . . . . .	60.4	37.9	97.0
Independent . . . . .	56.6	36.2	93.0

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government facilities.

NOTE: Percentages are based on unrounded numbers.

**Table 11. Number and percent distribution of nursing homes by availability of dental health services, according to selected facility characteristics: United States, 2004**

Facility characteristic	Total	Dental services								
		Where provided				Total <sup>1</sup>	How provided			
		Percent distribution	Both location	At facility	Outside facility		Percent distribution	Both arrangements	Scheduled times	On call or as needed
All facilities . . . . .	16,100	100.0	35.1	30.0	34.0	15,900	100.0	29.0	25.9	45.0
Ownership										
Proprietary . . . . .	9,900	100.0	36.0	29.5	33.9	9,800	100.0	28.8	26.7	44.3
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	100.0	33.7	30.9	34.2	6,100	100.0	29.3	24.5	46.2
Beds										
Fewer than 50 beds . . . . .	2,200	100.0	*35.8	*20.7	41.6	2,200	100.0	*22.6	*16.9	60.5
50–99 beds. . . . .	6,000	100.0	29.7	27.9	41.4	5,900	100.0	26.7	23.7	49.3
100 beds or more. . . . .	7,800	100.0	39.0	34.4	26.2	7,800	100.0	32.6	30.0	37.4
Geographic region										
Northeast . . . . .	2,800	100.0	47.2	40.1	*	2,800	100.0	38.4	36.9	*24.7
Midwest. . . . .	5,300	100.0	39.8	24.1	35.5	5,300	100.0	29.4	29.2	41.4
South . . . . .	5,400	100.0	27.3	27.1	45.1	5,400	100.0	24.5	18.7	56.3
West. . . . .	2,600	100.0	*28.4	37.5	32.2	2,500	100.0	*27.4	*21.8	50.7
Location										
Metropolitan statistical area. . . . .	10,900	100.0	37.6	36.9	24.6	10,800	100.0	31.2	29.1	39.5
Micropolitan statistical area . . . . .	2,600	100.0	31.8	*20.4	46.8	2,600	100.0	29.7	*18.2	52.1
Other location . . . . .	2,600	100.0	27.8	*	61.0	2,600	100.0	*19.3	*19.8	60.9
Affiliation										
Chain . . . . .	8,700	100.0	34.6	30.8	34.1	8,700	100.0	28.1	26.8	44.8
Independent . . . . .	7,400	100.0	35.7	29.2	34.0	7,300	100.0	30.0	24.7	45.2

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes only facilities that provide dental health services.

<sup>2</sup>Includes state and local government owned facilities.

NOTES: Number may not add to totals because of rounding. Percentages are based on the unrounded numbers.

**Table 12. Number and percent distribution of nursing homes by availability of mental health services, according to selected facility characteristics: United States, 2004**

Facility characteristic	Total	Mental health services								
		Where provided				Total <sup>1</sup>	How provided			
		Percent distribution	Both location	At facility	Outside facility		Percent distribution	Both arrangements	Scheduled times	On call or as needed
All facilities . . . . .	16,100	100.0	37.3	40.4	21.1	15,900	100.0	31.0	28.2	40.8
Ownership										
Proprietary . . . . .	9,900	100.0	38.9	38.9	21.7	9,800	100.0	31.5	30.3	38.2
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	100.0	34.8	42.9	20.2	6,100	100.0	30.1	24.7	45.2
Beds										
Fewer than 50 beds . . . . .	2,200	100.0	34.9	*35.3	*28.2	2,200	100.0	*22.5	*	63.4
50–99 beds. . . . .	6,000	100.0	35.2	38.2	24.7	5,900	100.0	27.1	28.2	44.7
100 beds or more. . . . .	7,800	100.0	39.6	43.5	16.3	7,800	100.0	36.3	32.1	31.6
Geographic region										
Northeast . . . . .	2,800	100.0	42.3	52.6	*	2,800	100.0	38.3	*32.8	*28.9
Midwest. . . . .	5,300	100.0	46.6	30.2	22.3	5,200	100.0	34.9	27.4	37.7
South . . . . .	5,400	100.0	30.6	40.4	27.7	5,300	100.0	26.7	30.1	43.3
West. . . . .	2,600	100.0	*26.9	48.4	*22.1	2,500	100.0	*23.6	*20.8	55.6
Location										
Metropolitan statistical area. . . . .	10,900	100.0	36.6	47.8	14.8	10,800	100.0	31.9	29.9	38.1
Micropolitan statistical area . . . . .	2,600	100.0	43.0	26.4	28.6	2,600	100.0	31.7	*23.9	44.4
Other location . . . . .	2,600	100.0	34.4	*23.4	40.2	2,500	100.0	26.2	25.0	48.8
Affiliation										
Chain . . . . .	8,700	100.0	37.2	42.2	19.9	8,600	100.0	31.0	30.2	38.8
Independent . . . . .	7,400	100.0	37.5	38.3	22.6	7,300	100.0	30.9	25.8	43.3

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes only facilities that provide mental health services.

<sup>2</sup>Includes state and local government owned facilities.

NOTES: Number may not add to totals because of rounding. Percentages are based on the unrounded numbers.

**Table 13. Number of nursing homes by availability of specialty units and selected facility characteristics: United States, 2004**

Facility characteristic	Total	No specialty units	One or more specialty units <sup>1</sup>	Alzheimers or dementia unit
All facilities. . . . .	16,100	9,900	6,200	4,300
Ownership				
Proprietary. . . . .	9,900	6,400	3,500	2,500
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	3,500	2,700	1,900
Beds				
Fewer than 50 beds. . . . .	2,200	1,900	*	*
50–99 beds. . . . .	6,000	4,500	1,500	1,100
100 beds or more. . . . .	7,800	4,300	3,500	3,200
Geographic region				
Northeast. . . . .	2,800	1,400	1,400	900
Midwest. . . . .	5,300	3,100	2,200	1,800
South. . . . .	5,400	3,700	1,700	1,200
West. . . . .	2,600	1,600	900	*500
Location				
Metropolitan statistical area. . . . .	10,900	6,400	4,500	3,000
Micropolitan statistical area. . . . .	2,600	1,600	1,000	700
Other location. . . . .	2,600	1,800	800	600
Affiliation				
Chain. . . . .	8,700	5,300	3,400	2,400
Independent. . . . .	7,400	4,600	2,700	1,900

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Specialty units are physically distinct or designated clusters of beds or segregated wings or units that are used exclusively for residents with specific conditions or requiring specialized care.

<sup>2</sup>Includes state and local government owned facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 14. Percentage of nursing homes by availability of specialty units and selected facility characteristics: United States, 2004**

Facility characteristic	No specialty units	One or more specialty units <sup>1</sup>	Alzheimers or dementia unit
All facilities . . . . .	61.5	38.5	26.9
Ownership			
Proprietary . . . . .	64.7	35.3	24.8
Voluntary nonprofit and other <sup>2</sup> . . . . .	56.3	43.7	30.4
Beds			
Fewer than 50 beds . . . . .	83.5	*	*
50–99 beds . . . . .	74.4	25.6	17.5
100 beds or more . . . . .	54.8	45.2	40.5
Geographic region			
Northeast . . . . .	50.1	49.9	31.9
Midwest . . . . .	58.7	41.3	33.5
South . . . . .	69.2	30.8	21.3
West . . . . .	63.4	36.6	*19.0
Location			
Metropolitan statistical area . . . . .	59.0	41.0	27.8
Micropolitan statistical area . . . . .	62.2	37.8	28.0
Other location . . . . .	70.9	29.1	22.3
Affiliation			
Chain . . . . .	60.4	39.6	27.5
Independent . . . . .	62.7	37.3	26.3

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Specialty units are physically distinct or designated clusters of beds or segregated wings or units that are used exclusively for residents with specific conditions or or requiring specialized care.

<sup>2</sup>Includes state and local government facilities.

NOTE: Percentages are based on unrounded numbers.

**Table 15. Number of nursing homes with selected therapeutic or diagnostic procedures, by selected facility characteristics: United States, 2004**

Facility characteristic	Total	Infusion therapy	Peripherally inserted central lines	Parenteral nutrition	Other <sup>1</sup>
All facilities. . . . .	16,100	6,800	3,700	7,500	3,800
Ownership					
Proprietary . . . . .	9,900	4,200	2,000	4,400	1,900
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	2,600	1,700	3,100	2,000
Beds					
Fewer than 50 beds . . . . .	2,200	1,000	*600	1,000	800
50–99 beds . . . . .	6,000	2,100	1,000	2,600	900
100 beds or more. . . . .	7,800	3,700	2,000	3,900	2,200
Geographic region					
Northeast. . . . .	2,800	1,600	*1000	1,500	*700
Midwest. . . . .	5,300	2,200	1,200	2,600	1,600
South . . . . .	5,400	2,200	900	2,200	800
West. . . . .	2,600	800	*600	1,200	*700
Location					
Metropolitan statistical area. . . . .	10,900	4,800	2,800	5,200	2,700
Micropolitan statistical area. . . . .	2,600	1,200	*600	1,200	600
Other location . . . . .	2,600	800	*	1,000	*500
Affiliation					
Chain . . . . .	8,700	4,000	1,900	4,100	2,000
Independent . . . . .	7,400	2,800	1,800	3,400	1,900

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes peritoneal dialysis, ventilator or pulmonary therapy, bladder scanner, and blood transfusions.

<sup>2</sup>Includes state and local government owned facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 16. Percentage of nursing homes with selected therapeutic or diagnostic procedures, by selected facility characteristics: United States, 2004**

Facility characteristic	Infusion therapy	Peripherally inserted central lines	Parenteral nutrition	Other <sup>1</sup>
All facilities. . . . .	42.2	23.1	46.4	23.9
Ownership				
Proprietary. . . . .	42.0	20.6	44.1	19.0
Voluntary nonprofit and other <sup>2</sup> . . . . .	42.7	27.1	50.1	31.8
Beds				
Fewer than 50 beds. . . . .	44.2	*27.8	46.3	36.6
50–99 beds. . . . .	34.2	17.5	42.7	14.2
100 beds or more. . . . .	47.8	26.0	49.2	27.8
Geographic region				
Northeast. . . . .	56.0	*34.8	51.9	*26.1
Midwest. . . . .	41.7	22.5	49.2	29.8
South. . . . .	40.3	17.4	39.9	14.6
West. . . . .	32.3	*23.3	48.4	*29.0
Location				
Metropolitan statistical area. . . . .	44.1	25.8	47.7	24.9
Micropolitan statistical area. . . . .	44.4	*23.1	47.9	24.6
Other location. . . . .	32.2	*	39.4	*19.1
Affiliation				
Chain. . . . .	45.6	22.4	47.2	22.5
Independent. . . . .	38.3	23.9	45.5	25.6

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes peritoneal dialysis, ventilator or pulmonary therapy, bladder scanner, and blood transfusions.

<sup>2</sup>Includes state and local government owned facilities.

NOTE: Percentages are based on unrounded numbers.



**Table 17. Number of nursing homes by availability of selected special programs and facility characteristics: United States, 2004**

Facility characteristic	Type of program										
	Total	No special programs	One or more special programs <sup>1</sup>	Hospice end of life	Palliative care	Dementia care	Restorative care	Behavior problems	Pain management	Continence management	Skin wounds
All facilities. . . . .	16,100	3,300	12,800	3,000	2,700	5,100	11,100	3,800	4,100	3,500	8,600
Ownership											
Proprietary. . . . .	9,900	2,000	7,900	1,600	1,400	2,800	7,100	2,400	2,300	2,200	5,300
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	1,300	4,800	1,400	1,200	2,300	4,000	1,500	1,800	1,300	3,300
Beds											
Fewer than 50 beds. . . . .	2,200	800	1,400	*	*	*	1,000	*	*400	*	800
50–99 beds. . . . .	6,000	1,300	4,700	1,100	900	1,500	4,200	1,500	1,500	1,400	3,000
100 beds or more. . . . .	7,800	1,100	6,700	1,700	1,500	3,200	5,800	2,000	2,200	1,900	4,800
Geographic region											
Northeast. . . . .	2,800	*700	2,100	*500	*600	1,000	1,700	*600	*800	*	1,400
Midwest. . . . .	5,300	1,000	4,300	800	900	2,000	3,900	1,600	1,400	1,200	2,800
South. . . . .	5,400	1,000	4,400	1,300	900	1,500	3,800	1,200	1,300	1,300	3,200
West. . . . .	2,600	*600	1,900	*	*	*600	1,700	*500	*600	*600	1,200
Location											
Metropolitan statistical area. . . . .	10,900	2,100	8,800	2,100	1,900	3,500	7,600	2,600	2,900	2,500	6,100
Micropolitan statistical area. . . . .	2,600	*600	2,000	*400	*400	900	1,700	*600	*600	*500	1,200
Other location. . . . .	2,600	*600	2,000	*600	*400	700	1,800	700	600	*500	1,200
Affiliation											
Chain. . . . .	8,700	1,700	7,000	1,600	1,500	2,800	6,300	2,000	2,300	2,100	4,900
Independent. . . . .	7,400	1,600	5,700	1,400	1,200	2,300	4,800	1,900	1,900	1,400	3,700

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes any of the programs listed where the facility has specially trained personnel dedicated to the program. Special programs do not include special training that is provided to all personnel.

<sup>2</sup>Includes state and local government facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 18. Percentage of nursing homes by availability of special programs and selected facility characteristics: United States, 2004**

Facility characteristic	Type of program									
	No special programs	One or more special programs <sup>1</sup>	Hospice end of life	Palliative care	Dementia care	Restorative care	Behavior problems	Pain management	Continence management	Skin wounds
All facilities . . . . .	20.4	79.5	18.8	16.7	31.5	68.9	23.8	25.6	21.7	53.5
Ownership										
Proprietary . . . . .	19.7	80.2	16.7	14.6	28.5	71.8	23.8	23.3	22.6	54.0
Voluntary nonprofit and other <sup>2</sup> . .	21.5	78.3	22.3	20.1	36.4	64.3	23.8	29.3	20.4	52.7
Beds										
Fewer than 50 beds . . . . .	36.2	63.5	*	*	*	45.2	*	*18.1	*	35.6
50–99 beds . . . . .	22.4	77.6	17.6	14.3	25.0	70.6	25.2	24.4	22.5	50.2
100 beds or more . . . . .	14.4	85.5	21.3	19.6	41.2	74.3	25.9	28.6	23.9	61.1
Geographic region										
Northeast . . . . .	*25.3	74.7	*19.5	*20.5	36.0	60.1	*20.4	*29.4	*	50.8
Midwest . . . . .	18.0	81.6	15.8	16.7	37.6	73.4	30.4	26.7	22.4	52.8
South . . . . .	18.1	81.9	24.3	16.8	26.8	71.1	21.9	23.8	23.3	58.8
West . . . . .	*24.8	75.2	*	*	*24	64.5	*18.1	*22.9	*22.7	46.4
Location										
Metropolitan statistical area . . .	19.0	80.9	19.1	17.6	32.3	69.7	23.5	26.6	22.7	56.4
Micropolitan statistical area . . .	*23.3	76.4	*13.9	*15.2	32.8	64.5	*22.7	*21.8	*21.0	47.5
Other location . . . . .	*23.6	76.4	*22.5	*14.6	26.9	70.0	26.2	25.0	*18.5	47.0
Affiliation										
Chain . . . . .	19.1	80.7	18.7	16.9	31.8	72.2	22.6	25.9	23.8	56.0
Independent . . . . .	21.9	78.0	19.0	16.4	31.1	65.0	25.3	25.2	19.3	50.5

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes any of the programs listed where the facility has specially trained personnel dedicated to the program. Special programs do not include special training that is provided to all personnel.

<sup>2</sup>Includes state and local government facilities.

NOTE: Percentages are based on unrounded numbers.

**Table 19. Number of nursing homes with selected types of recreational activities, by selected facility characteristics: United States, 2004**

Facility characteristic	Total	Off site activities	Evening activities	Weekend activities	Outdoor activities	Gardening	Pet therapy	Intergenerational activities
All facilities . . . . .	16,100	14,500	15,300	15,700	15,200	12,200	14,000	13,700
Ownership								
Proprietary . . . . .	9,900	9,100	9,400	9,700	9,500	7,300	8,400	8,400
Voluntary nonprofit and other <sup>1</sup> . . . . .	6,200	5,400	5,900	6,000	5,700	4,900	5,500	5,300
Beds								
Fewer than 50 beds. . . . .	2,200	1,600	1,900	2,100	1,900	1,400	1,800	1,700
50–99 beds. . . . .	6,000	5,600	5,700	5,900	5,800	4,400	5,200	5,300
100 beds or more . . . . .	7,800	7,300	7,700	7,800	7,600	6,400	7,000	6,800
Geographic region								
Northeast . . . . .	2,800	2,500	2,700	2,800	2,700	2,400	2,500	2,600
Midwest . . . . .	5,300	4,800	5,100	5,200	5,000	4,300	4,700	4,700
South . . . . .	5,400	4,900	5,200	5,300	5,100	3,700	4,600	4,500
West . . . . .	2,600	2,300	2,200	2,500	2,500	1,900	2,100	2,000
Location								
Metropolitan statistical area . . . . .	10,900	9,700	10,400	10,600	10,300	8,400	9,500	9,200
Micropolitan statistical area . . . . .	2,600	2,400	2,500	2,600	2,400	1,900	2,300	2,300
Other location . . . . .	2,600	2,400	2,400	2,500	2,500	2,000	2,200	2,300
Affiliation								
Chain . . . . .	8,700	8,100	8,300	8,500	8,400	6,500	7,400	7,400
Independent . . . . .	7,400	6,400	7,000	7,200	6,800	5,800	6,600	6,300

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 20. Percentage of nursing homes with selected types of recreational activities, by selected facility characteristics: United States, 2004**

Facility characteristic	Off site	Evening activities	Weekend activities	Outdoor activities	Gardening	Pet therapy	Intergenerational activities
All facilities . . . . .	90.4	95.2	97.8	94.8	76.1	86.8	85.4
Ownership							
Proprietary . . . . .	92.0	95.2	98.0	96.1	74.0	85.1	84.9
Voluntary nonprofit and other <sup>1</sup> . . . . .	87.7	95.2	97.6	92.7	79.5	89.6	86.2
Beds							
Fewer than 50 beds . . . . .	72.6	85.5	92.3	84.7	63.3	81.0	74.6
50–99 beds . . . . .	92.9	94.8	98.4	96.0	73.5	86.1	87.8
100 beds or more . . . . .	93.5	98.3	99.0	96.8	81.7	89.1	86.7
Geographic region							
Northeast . . . . .	90.2	97.7	98.2	95.8	85.3	88.9	91.2
Midwest . . . . .	91.4	96.6	98.3	94.7	80.4	88.8	88.5
South . . . . .	89.8	96.2	97.7	94.0	68.4	85.4	82.8
West . . . . .	89.6	87.4	96.7	95.5	73.3	83.6	78.4
Location							
Metropolitan statistical area . . . . .	89.3	95.2	97.6	94.2	76.7	87.6	84.5
Micropolitan statistical area . . . . .	90.8	96.5	98.0	93.8	71.7	87.0	87.2
Other location . . . . .	94.5	94.0	98.5	98.0	77.8	83.6	87.6
Affiliation							
Chain . . . . .	93.0	95.5	97.6	96.8	74.3	85.1	85.2
Independent . . . . .	87.3	94.9	98.1	92.4	78.2	88.9	85.7

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes state and local government owned facilities.

NOTE: Percentages are based on unrounded numbers.

**Table 21. Number and percent distribution of nursing homes by percentage of employees who received influenza vaccination during last flu season, according to selected facility characteristics: United States, 2004**

Facility characteristic	Percentage of employees with flu vaccination							
	Total <sup>1</sup>	1–40	41–80	81–100	Total	1–40	41–80	81–100
	Number				Percent distribution			
All facilities . . . . .	16,100	5,400	7,500	2,200	100.0	33.7	46.6	13.5
Ownership								
Proprietary . . . . .	9,900	3,800	4,200	1,200	100.0	38.5	42.2	12.1
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	1,600	3,300	1,000	100.0	25.9	53.5	15.8
Beds								
Fewer than 50 beds . . . . .	2,200	*600	1,000	*500	100.0	*11.7	46.6	*20.7
50–99 beds . . . . .	6,000	1,900	2,900	900	100.0	31.8	47.5	15.2
100 beds or more . . . . .	7,800	2,900	3,600	800	100.0	36.6	45.8	10.3
Geographic region								
Northeast . . . . .	2,800	1,000	1,500	*	100.0	33.9	54.4	*
Midwest . . . . .	5,300	1,700	2,500	700	100.0	31.4	47.4	14.0
South . . . . .	5,400	1,900	2,300	900	100.0	35.9	42.2	16.9
West . . . . .	2,600	*900	1,200	*	100.0	*15.9	45.4	*
Location								
Metropolitan statistical area . . . . .	10,900	3,900	5,000	1,200	100.0	35.8	45.9	11.2
Micropolitan statistical area . . . . .	2,600	800	1,300	*300	100.0	29.9	50.5	*15.8
Other location . . . . .	2,600	700	1,200	*600	100.0	28.7	45.3	*28.0
Affiliation								
Chain . . . . .	8,700	3,100	3,900	1,100	100.0	35.3	44.7	12.9
Independent . . . . .	7,400	2,300	3,600	1,100	100.0	31.8	48.8	14.2

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59, but has a relative standard error of 30 percent or more.

<sup>1</sup>Includes none and unknown.

<sup>2</sup>Includes state and local government owned facilities.

NOTES: Numbers may not add to totals because of rounding. Percentages are based on unrounded numbers.

**Table 22. Number of nursing homes with strategies to encourage employee influenza vaccinations by selected facility characteristics: United States, 2004**

Facility characteristic	Employee influenza vaccination strategy				
	Total	Vaccinations recommended	Offered on site	Offered for free or reduced cost	Other <sup>1</sup>
All facilities . . . . .	16,100	13,300	13,800	14,200	6,600
Ownership					
Proprietary . . . . .	9,900	7,900	8,200	8,300	3,900
Voluntary nonprofit and other <sup>2</sup> . . . . .	6,200	5,400	5,600	5,900	2,800
Beds					
Fewer than 50 beds . . . . .	2,200	2,000	2,000	2,100	900
50–99 beds . . . . .	6,000	4,900	5,200	5,400	2,400
100 beds or more . . . . .	7,800	6,400	6,600	6,700	3,400
Geographic region					
Northeast . . . . .	2,800	2,600	2,500	2,500	1,300
Midwest . . . . .	5,300	4,400	4,600	4,800	2,000
South . . . . .	5,400	4,100	4,400	4,600	2,300
West . . . . .	2,600	2,200	2,300	2,300	1,000
Location					
Metropolitan statistical area . . . . .	10,900	9,000	9,300	9,600	4,400
Micropolitan statistical area . . . . .	2,600	2,200	2,200	2,300	1,000
Other location . . . . .	2,600	2,100	2,300	2,300	1,100
Affiliation					
Chain . . . . .	8,700	7,100	7,400	7,700	3,400
Independent . . . . .	7,400	6,200	6,400	6,500	3,200

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Other vaccination methods include staff incentives, proof of vaccination (or contraindication) a work requirement, and work/patient restriction policy of employees with influenza-like illness.

<sup>2</sup>Includes state and local government owned facilities.

NOTE: Numbers may not add to totals because of rounding.

**Table 23. Percentage of nursing homes with strategies to encourage employee influenza vaccinations, by selected facility characteristics: United States, 2004**

Facility characteristic	Employee influenza vaccination strategy			
	Vaccinations recommended	Offered on site	Offered for free or reduced cost	Other <sup>1</sup>
All facilities . . . . .	82.7	85.9	88.3	41.1
Ownership				
Proprietary . . . . .	79.7	82.5	84.4	38.9
Voluntary nonprofit and other <sup>2</sup> . . . . .	87.5	91.3	94.6	44.5
Beds				
Fewer than 50 beds . . . . .	88.6	90.6	94.2	39.7
50–99 beds . . . . .	81.3	86.7	89.2	39.3
100 beds or more . . . . .	82.1	83.9	86.0	42.9
Geographic region				
Northeast . . . . .	92.1	90.1	90.4	45.6
Midwest . . . . .	83.3	87.4	89.6	38.5
South . . . . .	75.9	81.2	85.5	42.2
West . . . . .	85.6	88.0	89.1	39.1
Location				
Metropolitan statistical area . . . . .	82.6	85.6	87.8	40.7
Micropolitan statistical area . . . . .	83.4	83.3	89.5	40.0
Other location . . . . .	82.6	89.5	89.2	43.6
Affiliation				
Chain . . . . .	81.6	85.3	88.3	38.8
Independent . . . . .	84.0	86.6	88.3	43.7

\* Estimate does not meet standard of reliability or precision because the sample size is less than 30. Estimates accompanied by an asterisk (\*) indicate that the sample size is between 30 and 59, or the sample size is greater than 59 but has a relative standard error of 30 percent or more.

<sup>1</sup>Other vaccination methods include staff incentives, proof of vaccination (or contraindication) a work requirement, and work or patient restriction policy of employees with influenza-like illness.

<sup>2</sup>Includes state and local government facilities.

NOTE: Percentages are based on unrounded numbers.